

Index

Reactor Materials

Volume 13

The page range for each of the three issues of Vol. 13 is as follows:

No. 1, pages 1 to 60

No. 3, pages 107 to 154

No. 2, pages 61 to 106

3HK55

corrosion by liquid Na in contact with 316 stainless steel, 50

A

Actinides

diffusion in UO_2 , 118

Admiralty brass

corrosion in low-oxygen flowing neutral water from 65 to 205°C, 46

Alumel

thermoelectric properties, effect of irradiation on, 32

Aluminum

annealing of irradiation damage in, effect of small amounts of Mg on, 34
corrosion in Savannah River reactors, 135

diffusion of Ce, La, Nd, Pt, and Sm in, 19

diffusion of H₂ in, 122

diffusion of Nb in, 120

irradiation-induced swelling, effect of temperature on, 35

solid solubility in Zr, 109

tensile properties of silica-fiber-reinforced, effect of irradiation on, 32

Aluminum (2219)

coating with Ni by vapor deposition, 99

Aluminum (6061)

coating with Ni by vapor deposition, 99
welding, 95-96

Aluminum (7075)

stress-corrosion cracking, effect of point defects on, 135

Aluminum alloy (13Cr/4Al)

corrosion in steam, 45

Aluminum alloys

stress-corrosion cracking, 135
thermal-mechanical treatment, DMIC review of Soviet literature on, 107

Aluminum alloys (Al-Cr-Hf-Ta)

oxidation and tensile properties of, 141

Aluminum alloys (Al-Cr-Fe)

irradiation embrittlement, 27

Aluminum alloys (Al-Cr-Fe-Y)

mechanical properties, improvement by adding Mo, Nb, Ta, or W, 110

Aluminum alloys (Al-Hf-Nb-Ta-Ti-W)

oxidation behavior, 114

Aluminum alloys (Al-Fe)

magnetic properties, effect of irradiation on, 32

Aluminum alloys (Al-Li)

grain growth of irradiated, 129

Aluminum alloys (Al-Mg)

structural stability of tubes, effect of cyclic thermal treatment on, 1

Aluminum alloys (Al-Mg-Zr)

phase diagram, 1

Aluminum alloys (Al-Mo)

diffusion studies, 120

Aluminum alloys (Al-Mo-Nb-Sn-Zr)

development for pressure-tube applications, 4

Aluminum alloys (Al-Mo-Zr)

development for pressure-tube applications, 3-4

Aluminum alloys (Al-Nb)

diffusion studies, 120

Aluminum alloys (Al-Sn-Ti)

tensile properties of irradiated, 32

Aluminum alloys (Al-U)

roll-separating forces during rolling of, 93

Aluminum bronze

corrosion by liquid Na, 146

Aluminum composites (Al-Pm₂O₃)

cold pressing into pellets, 92

Aluminum dispersions (Al-Al₂O₃)

mechanical properties of, 1

Aluminum oxide dispersions (Al-Al₂O₃)

mechanical properties of, 1

Armco Iron

corrosion by liquid Zn, 55-56

ASTAR 811C

corrosion by liquid Li, 148-49

ASTAR 811CN

corrosion by liquid Li, 148-49

B

B-1900

longtime stability of carbide and intermetallic phases in, 9-10

Beryllium

corrosion, effect of alloy additions, 86

creep behavior of high-purity cast and extruded polycrystalline, 83-84
diffusion in Ti and Zr, 120
electroless-nickel deposition on, residual stresses resulting from, 84
metallography of, 85
powder metallurgy of, 84-85
radiation effects, 85
yield strength of wrought ingot, effect of Cu and Ag additions on, 83

Beryllium alloys (Be-Cr)

powder metallurgy of, 83

Beryllium alloys (Be-Cu)

corrosion by liquid Na, 146

powder metallurgy of, 83

Beryllium alloys (Be-Cu-Zn)

aging characteristics of neutron irradiated, 34

Beryllium alloys (Be-Fe)

hardness and structure of arc melted and induction melted, effect of solution treating and aging on, 83
powder metallurgy of, 83

Beryllium alloys (Be-Mn)

powder metallurgy of, 83

Beryllium alloys (Be-Nb)

powder metallurgy of, 83

Beryllium alloys (Be-Ti)

powder metallurgy of, 83

Beryllium alloys (Be-Zr)

powder metallurgy of, 83

Beryllium oxide (BeO)

particles, coating with Ni by thermal decomposition of Ni(CO)₄, 99

Bismuth

solubility in liquid Na, 149-50

Bismuth alloys (Bi-Pb)(liquid)

corrosion of Cr-Mo steel, 150

solubility of Cr in, 149-50

solubility of Co in, 149-50

solubility of Cu in, 149-50

solubility of Fe in, 54-55

solubility of Ni in, 149-50

solubility of Ti in, 55

solubility of Zr in, 55

Bismuth alloys (Bi-Sn)

corrosion by liquid Na, 146-47

Boiling

nucleate vs. film, eddy-current system for detection of, 102

Books

"Corrosion of Zirconium and Zirconium Alloys", 137

"Defects and Radiation Damage in Metals", 32

"Liquid Metals", 52

Borides

pressure sintering, 92

Boron alloys (B-Cu)

irradiation embrittlement, 31

Boron alloys (B-Zr)

annealing of irradiated, 129

Boron carbide (B₄C)

compatibility with Na and 316 stainless steel, 89

irradiation swelling, 90

Boron nitride

hot pressing of powders, sintering during, 92

Boron nitride (BN)

compatibility with 316 stainless steel, 89

preparation of high-purity powders of, 90

Boron silicate systems (Cr-B₄Si-Si) development as protective coatings for Mo, 48

Boron systems (B-graphite) deposition of, 98

Braze alloy (Microbraz 30)

corrosion by liquid Na, 52

Braze alloy (Microbraz 50)

corrosion by liquid Na, 52

C

Cadmium alloys (Cd-Zn) electrodeposition, 100-1

Carbides

pressure sintering, 92

Carbon

diffusion in Hf, 121

diffusion in Nb, Ta, and V, 19

diffusion in UC, 118

solubility in beta Zr, 2

Carbon systems (C-Hf-Re-W)

development for high-temperature applications, 14

Carbon systems (C-U)

phase studies, 65

Cb-753

creep properties, 15-16

Ceramics

corrosion by liquid Li, 148

Cerium

diffusion in Al, 19

Cermets

corrosion by liquid Li, 148

pressure sintering, 92

Cesium iodide

diffusion of ¹³³Xe in, 20

Chemical plating

interactions of vacuum-evaporated metals and solid-metal substrates, 96

review of vacuum evaporation, ion

plating and sputtering techniques, 96

vacuum accelerated-ion deposition, 96

vapor deposition of metals by disproportionation reactions, 96

Chromel

thermoelectric properties, effect of irradiation on, 32

Chromium

corrosion by liquid Na, 143

density, 117

diffusion in Cr-Ni-Nb austenitic steel, 19

ductility, effect of addition of Cr on, 16

oxidation, 47, 140

solubility in liquid Bi-Pb, 149-50

solubility in liquid Na, 149-50

stress-corrosion cracking, 137

thermal expansion, 117

Chromium-51

diffusion into Nb, 18-19

Chromium alloys

stress-corrosion cracking, 137

Chromium alloys (Al-Cr-Hf-Ta)

oxidation and tensile properties of, 141

Chromium alloys (Al-Cr-Fe)

irradiation embrittlement, 27

Chromium alloys (Al-Cr-Fe-Y)

mechanical properties, improvement by adding Mo, Nb, Ta, or W, 110

Chromium alloys (Be-Cr)

powder metallurgy of, 83

Chromium alloys (Cr-Hf-Ta)

oxidation and tensile properties of, 141

Chromium alloys (Cr-Fe-Mo-Ni-Ti)

structure and properties of, effect of B additions on, 111

Chromium alloys (Cr-Fe-Ni)

stress-corrosion cracking, 135-36

Chromium alloys (Cr-Fe-Ni-Ti)

stress-rupture properties of irradiated tubing of, 26-27

Chromium alloys (Cr-Fe-Zr)

ductility, effect of autoclaving on, 23

ductility, effect of irradiation on, 23

tensile strength, effect of autoclaving on, 23

tensile strength, effect of irradiation on, 23

Chromium alloys (Cr-Mo)

corrosion by liquid Na in contact with 316 stainless steel, 50

Chromium alloys (Cr-Mo-V)(Nb stabilized)

corrosion by liquid Na in contact with 316 stainless steel, 50

Chromium alloys (Cr-Mo-V)(Ti stabilized)

corrosion by liquid Na in contact with 316 stainless steel, 50

Chromium alloys (Cr-Mo-V)(Zr stabilized)

corrosion by liquid Na in contact with 316 stainless steel, 50

Chromium alloys (Cr-Ni)

effect of W content on the transformation of the gamma prime to the stable eta phase, 111

morphology of the gamma prime precipitate in, effect of W additions on, 10

Chromium alloys (Cr-Pd-W)

oxidation, 139

Chromium alloys (Cr-Ti-V)

compatibility with PuO₂-UO₂, 62

corrosion by liquid Na, 147

density, 118

thermal conductivity, 117

thermal expansion, 117

Chromium alloys (Cr-U)

properties, 74

viscosity of liquid, effect of Cr content on, 73

Chromium alloys (Cr-V)

compatibility with PuO₂-UO₂, 62

corrosion by liquid Na, 147

Chromium alloys (Cr-Y)

oxidation, 47

Chromium alloys (Cr-Zr)

hardness of temperature aged, effect of Cr content on, 4

Chromium alloys (Co-Cr-Fe-Ni)

corrosion by liquid Na, 52-53

Chromium systems (Cr-B₄Si-Si)

development as protective coatings for Mo, 48

Chromium systems (Cr-Hf-Si-Ta)

oxidation and tensile properties, 141

Chromium systems (Cr-Fe-Si)

development as protective coating for D-43 alloy, 47-48

Chromium systems (Cr-UN)

phase studies, 68

Cladding materials

behavior in loss-of-coolant accidents, 59, 153-54

metallurgy of, 1-11, 107-11

Cobalt

corrosion by liquid Na, 143

solubility in liquid Bi-Pb, 149-50

Cobalt alloys

corrosion by liquid Hg, inhibition of, 53

corrosion by liquid Na, 52-53

Cobalt alloys (Co-Cr-Fe-Ni)

corrosion by liquid Na, 52-53

Cobalt alloys (Co-Fe)

magnetic properties, effect of irradiation on, 32

Cobalt alloys (Co-Fe-Ni)

ternary diffusion in, 121

Cobalt cermets (WC-Co)

fatigue behavior, effect of Co content on, 40

mechanical properties, dependence of carbide-carbide particle contacts on, 40

strength, theory of, 40

Concrete

creep behavior of moisture sealed at high temperatures, 42

creep in cylindrical prestressed pressure vessels exposed to a radial temperature gradient and internal pressure, numerical techniques for estimating redistribution of stresses due to, 42

development of low-radioactivity, 42

use as reactor containment structures, 133-34

Conferences and meetings

(see also Symposia)

on explosive metalworking, 101

on stress-corrosion cracking, 135

on Zr and Zr alloys, 107

Copel

thermoelectric properties, effect of irradiation on, 32

Copper

corrosion by liquid Bi, 55-56

heat capacity of, effect of irradiation on, 130

irradiation-induced swelling, effect of temperature on, 35

irradiation studies, 77

solubility in liquid Bi-Pb, 149-50

solubility in liquid Na, 149-50

tensile properties, effect of fast-neutron irradiation on, 33

thermoelectric properties, effect of irradiation on, 32

Copper alloys

thermal-mechanical treatment of, DMIC review of Soviet literature on, 107

Copper alloys (102)

weldability of, 94

Copper alloys (109)

weldability of, 94

Copper alloys (120)

weldability of, 94

- Copper alloys (Be-Cu)
corrosion by liquid Na, 146
powder metallurgy of, 83
- Copper alloys (Be-Cu-Zn)
aging characteristics of neutron irradiated, 34
- Copper alloys (B-Cu)
irradiation embrittlement, 31
- Copper alloys (Cu-Fe-Zr)
hydrogen absorption and embrittlement resistance of, 4
room-temperature mechanical properties, 109
- Copper alloys (Cu-Ni)
corrosion in low-oxygen flowing neutral water from 65 to 205°C, 46
yield strength, effect of irradiation on, 33-34
- Copper alloys (Cu-Nb-Zr)
mechanical properties of, 107
stress-corrosion cracking in methanol solutions, 137-38
- Constantan
thermoelectric properties, effect of irradiation on, 32
- Croloy 5
corrosion by liquid Na in contact with 316 stainless steel, 50
- Croloy 5Ti
corrosion by liquid Na in contact with 316 stainless steel, 50
- Croloy 9M
corrosion by molten fluoride salts, 56-57

D

- D-43 alloy
development of silicide coatings for, 47-48
precipitation behavior, 114-15
- Diffusion studies
in ceramic fuels, 118
of gases in solids, 19-20, 121-22
in refractory metals, 18-19, 118-19
in structural materials, 120-21
- Dysprosium oxide (Dy₂O₃)
elastic properties, 132-33

E

- EI-872
corrosion by liquid Na, 56-57
- Erbium oxide (Er₂O₃)
elastic properties, 132-33
- Explosive metalworking, 101

F

- Forges
design for determining the high-temperature formability and ductility of refractory metals, 93
- FS-85
corrosion by fluoride salts, 151
protective coatings for, 140
- Fuel plates
"dogboning" during rolling, methods for reducing, 93
electron-beam welding, 95-96
- Fuel rods (UO₂)
fission-gas release during irradiation, 62
performance in Big Rock Point Reactor after central core melting, 62

Fuels

- irradiation studies, 76-77

G

- Gadolinium systems (Gd-H)
phase studies, 87-88
- Gallium alloys (Ga-Pu)
mechanical properties, 75
- Gold
thermoelectric properties, effect of irradiation on, 32
- Gold alloys
stress-corrosion cracking, 135
- Gold alloys (Au-Pd)
thermoelectric properties, effect of irradiation on, 32
- Graphite
brazing to Hastelloy N, 95
brazing to Mo with Nb-Ti-Zr alloy, 95
brazing with Nb-Ti-Zr alloy, 95
coatings of, formation by the thermal decomposition of methane, 99
compatibility with fluoride salts, 150-51
effects of irradiation on boronated, 90
interaction with vacuum-deposited coatings of Mo, Nb, and Ti, 96
Poco, tensile properties, 132
pyrolytic, deposition at high temperatures and under fast-neutron irradiation, 98
tubes of, coating with SiC, 97-98
- Graphite composites (NbC-graphite)
elastic properties, 132
- Graphite systems (B-graphite)
deposition of, 98

H

- Hafnium
diffusion of C in, 121
oxidation, 139
purification by electron-beam melting, 88-89
- Hafnium alloys (Al-Cr-Hf-Ta)
oxidation and tensile properties of, 141
- Hafnium alloys (Al-Hf-Nb-Ta-Ti-W)
oxidation behavior, 114
- Hafnium alloys (Cr-Hf-Ta)
oxidation and tensile properties of, 141
- Hafnium alloys (Hf-Mn)
phase diagram, 89
- Hafnium alloys (Hf-Nb)
oxidation, 139
- Hafnium alloys (Hf-W)
compatibility with molten U, 150
- Hafnium boride (HfB₂)
bend strength of hot pressed, 90
- Hafnium systems (C-Hf-Re-W)
development for high-temperature applications, 14
- Hafnium systems (Cr-Hf-Si-Ta)
oxidation and tensile properties of, 141
- Hastelloy C
corrosion in hot seawater vapor, 45
- Hastelloy N
brazing to graphite, 95
compatibility with fluoride salts, 150-51
corrosion by molten fluoride salts, 56-57
diffusion of Ti in, 121
stress-rupture life of irradiated, effect of additions of Ti, 28
- Hastelloy N (Ti modified)
corrosion by molten fluoride salts, 56-57
stress-rupture properties, 110
- Hastelloy X
tensile properties of irradiated, effect of preirradiation thermo-mechanical treatments on, 28
welds, corrosion in steam, 137
- Holmium oxide (Ho₂O₃)
elastic properties, 132-33
- HS-25
corrosion by liquid Hg, 53
microstructure and precipitation kinetics, effect of high-temperature aging on, 10
- Hydrogen
diffusion in Al, 122
diffusion in W, 19-20
diffusion through Pd, 121-22
- Hydrogen systems (Gd-H)
phase studies, 87-88
- Hydrogen systems (H-Zr)
phase studies, 86
- IN-100
longtime stability of carbide and intermetallic phases in, 9-10
- IN-102
welds, corrosion in steam, 137
- Inco-713C
longtime stability of carbide and intermetallic phases in, 9-10
- Incoloy 800
corrosion in steam, 45
creep properties of irradiated, 124, 126
ductility of irradiated, effect of preirradiation aging on, 28
welds, corrosion in steam, 137
- Inconel
electrodeposition of TiB₂ on, 90
- Inconel 102
tensile properties of He impregnated, 29-30
- Inconel 600
corrosion by high-temperature borated water, 45
corrosion by NH₄OH water, 135
corrosion by liquid Na, 145
corrosion in the NPD Reactor, 135
irradiation-induced swelling, 35
welding, effect of minor alloying elements on hot cracking during, 94
- Inconel 625
precipitation behavior and mechanical properties of, 110
rupture properties of irradiated, 125
tensile properties of irradiated, effect of preirradiation thermo-mechanical treatments on, 28
welds, corrosion in steam, 137
- Inconel 718
brazing with Microbraz 50 alloy, 94
longtime stability of carbide and intermetallic phases in, 9-10
longtime stability of, effect of grain size on, 111
precipitation strength of, 111
rupture properties of irradiated, 125
stability of, effect of thermo-mechanical treatment on, 111
tensile properties of irradiated, effect of preirradiation thermo-mechanical treatments on, 28

- Inconel X-750
corrosion by liquid Na, 146
tensile properties of He impregnated, 22-30
- Indium
electrodeposition, 101
- Iridium
coupled with W, interdiffusion studies of, 18
- Iron
corrosion by liquid Na, 143
diffusion in V, isotope effect on, 120-21
diffusion of O₂ in, 122
flow stress of irradiated, effect of N on, 33
mechanical properties, effect of irradiation on, 32
neutron-radiation hardening of polycrystalline, 129-30
postirradiation and co-irradiation annealing of, 34
solubility in Bi-Pb alloys, 54-55
stress-corrosion cracking, 137
stress-strain properties of irradiated single crystals containing small amounts of C, 33
thermoelectric properties, effect of irradiation on, 32
- Iron alloys
stress-corrosion cracking, 137
- Iron alloys (Al-Cr-Fe)
irradiation embrittlement, 27
- Iron alloys (Al-Cr-Fe-Y)
mechanical properties, improvement by adding Mo, Nb, Ta, or W, 110
- Iron alloys (Al-Fe)
magnetic properties, effect of irradiation on, 32
- Iron alloys (Be-Fe)
hardness and structure of arc melted and induction melted, effect of solution treating and aging on, 83
powder metallurgy of, 83
- Iron alloys (Cr-Fe-Mo-Ni-Ti)
structure and properties of, effect of B additions on, 111
- Iron alloys (Cr-Fe-Ni)
stress-corrosion cracking, 135-36
- Iron alloys (Cr-Fe-Ni-Ti)
stress-rupture properties of irradiated tubing of, 26-27
- Iron alloys (Cr-Fe-Zr)
ductility, effect of autoclaving on, 23
ductility, effect of irradiation on, 23
room-temperature mechanical properties, 109
tensile strength, effect of autoclaving on, 23
tensile strength, effect of irradiation on, 23
- Iron alloys (Co-Cr-Fe-Ni)
corrosion by liquid Na, 52-53
- Iron alloys (Co-Fe)
magnetic properties, effect of irradiation on, 32
- Iron alloys (Co-Fe-Ni)
ternary diffusion in, 121
- Iron alloys (Cu-Fe-Zr)
hydrogen absorption and embrittlement resistance of, 4
- Iron alloys (Fe-Mo)
diffusion of Mo in, 120
- Iron alloys (Fe-Ni)
magnetic properties, effect of irradiation on, 32
- Iron alloys (Fe-Ni-Nb-Sn-Zr)
room-temperature mechanical properties, 109
- Iron alloys (Fe-U)
roll-separating forces during rolling of, 93
welding, hot cracking during, 94
- Iron alloys (Fe-V-Zr)
room-temperature mechanical properties, 109
- Iron systems (Cr-Fe-Si)
development as protective coating for D-43 alloy, 47-48
- Iron systems (Fe-Si)
magnetic properties, effect of irradiation on, 32
- L-605
cavitation damage in liquid Na, effect of temperature and pressure on, 51-52
- Lanthanum
diffusion in Al, 19
- Lead alloys (Bi-Pb)(liquid)
corrosion of Cr-Mo steel, 150
solubility of Cr in, 149-50
solubility of Co in, 149-50
solubility of Cu in, 149-50
solubility of Fe in, 54-55
solubility of Ni in, 149-50
solubility of Ti in, 55
solubility of Zr in, 55
- Lead alloys (Pb-Pu)
phase studies, 75
- Lead alloys (Mg-Pb-Zr)
use as fuel-element can, 1
- Liquid metals
book on, 52
- Lithium
growth of single crystals of, 87
- Lithium alloys (Al-Li)
grain growth of irradiated, 129
- Lithium hydride
radiation decomposition, 87
- Lithium-plutonium oxides (Li₂PuO₃)
crystal structure and thermal stability of, 63
- Lithium-plutonium oxides (Li₂PuO₄)
crystal structure and thermal stability of, 63
- Lucalox
tensile properties, 132
- M
- Magnesium alloys (Al-Mg)
structural stability of tubes, effect of cyclic thermal treatment on, 1
- Magnesium alloys (Al-Mg-Zr)
phase diagram, 1
- Magnesium alloys (Mg-Pb-Zr)
use as fuel-element can, 1
- Magnesium alloys (Mg-Pu)
diffusion interactions with Al-Mg, Ga-Mg, Ge-Mg, Pb-Mg, Mg-Si, or Mg-Sn alloys, 75
- Magnesium oxide (MgO)
diffusion of Th in, 118
- Magnetic alloys
effect of irradiation on, 32
- Magnox alloy
corrosion in CO₂ at 20 atm and above 500°C, 45-46
- Manganese alloys (Be-Mn)
powder metallurgy of, 83
- Manganese alloys (Hf-Mn)
phase diagram, 69
- MAR-M200
longtime stability of carbide and intermetallic phases in, 9-10
- MAR-M246
longtime stability of carbide and intermetallic phases in, 9-10
- Metal crystals
mechanism for sweeping up of loops by glide dislocations during deformation of irradiated, 32-33
- Metal hydrides
book on, 86
- Metals
corrosion by liquid Li, 148
defects and irradiation damage in, book on, 32
thermal-mechanical treatment of, DMIC review of Soviet literature on, 107
- Microscopes
development of infrared, 102
- Molybdenum
brazing to graphite with Nb-Ti-Zr alloy, 95
coating with pore-free layer of MoSi₂, 97
coating with thin films of Nb, Ta, and V, 96
corrosion by liquid Na, 52
diffusion in Fe-Mo alloy, 120
diffusion of N₂ in, 122
electrodeposition, 100
electron-beam welding to Kh18N10T stainless steel, 95
electron-beam welding to Nb, 95
irradiation-induced swelling, effect of temperature and fluence on, 35
preparation from MoCl₅, 96
solubility in liquid K, 149-50
solubility in liquid Na, 149-50
surface self-diffusion of, effect of crystallographic orientation on, 118-19
thermoelectric properties, effect of irradiation on, 32
vapor deposition, 98
- Molybdenum alloys
corrosion by liquid Na, 52-53
development of silicide coatings for, 48
hot hardness of irradiated, 127
use in alkali-metal Rankine-cycle systems, 53
- Molybdenum alloys (Al-Mo)
diffusion studies, 120
- Molybdenum alloys (Al-Mo-Nb-Sn-Zr)
development for pressure-tube applications, 4
- Molybdenum alloys (Al-Mo-Zr)
development for pressure-tube applications, 3-4
- Molybdenum alloys (Cr-Fe-Mo-Ni-Ti)
structure and properties of, effect of B additions on, 111
- Molybdenum alloys (Cr-Mo)
corrosion by liquid Na in contact with 316 stainless steel, 50
- Molybdenum alloys (Cr-Mo-V)(Nb stabilized)
corrosion by liquid Na in contact with 316 stainless steel, 50
- Molybdenum alloys (Cr-Mo-V)(Ti stabilized)
corrosion by liquid Na in contact with 316 stainless steel, 50
- Molybdenum alloys (Cr-Mo-V)(Zr stabilized)
corrosion by liquid Na in contact with 316 stainless steel, 50

Molybdenum alloys (Fe-Mo)
diffusion of Mo in, 120
Molybdenum alloys (Mo-Nb)
diffusion studies, 120
Molybdenum alloys (Mo-Nb-Sn-Zr)
development for pressure-tube applications, 3-4
Molybdenum alloys (Mo-Re-W)
corrosion by liquid Li, 54
nitriding, effect of Hf content on, 117
Molybdenum alloys (Mo-Sn-Zr)
development for pressure-tube applications, 4
Molybdenum alloys (Mo-Ti)
protective coatings, 141
siliconizing and boriding by reaction with SiCl_2 and BF vapors, 96-97
Molybdenum alloys (Mo-U)
casting of cylinders of, 92
irradiation behavior, effect of Al and Sn additions on, 73
properties, 74
Molybdenum systems (Mo-Nb-Si-Sn-Zr)
development for pressure-tube applications, 4
Molybdenum systems (Mo-Si-Ti)
development as protective coatings for Ta, 48
Mo-TZM
corrosion by liquid K, 53
Monel
corrosion in low-oxygen flowing neutral water from 65 to 205°C, 46
Monel 400
corrosion in the NPD Reactor, 135

N

Neodymium
diffusion in Al, 19
Nichrome
thermoelectric properties, effect of irradiation on, 32
Nickel
corrosion by liquid Na, 143
diffusion in Cr-Ni-Nb austenitic steel, 19
diffusion of O_2 in, 122
electrodeposition, 100
electroless deposition on 6061 and 2219 Al, 99
irradiation-induced swelling, effect of temperature on, 35
irradiation-induced voids in, 125
solubility in liquid Bi-Pb, 149-50
stress-corrosion cracking, 137
vapor deposition, 98
Nickel 200
corrosion by liquid Na, 145
irradiation-induced swelling, 35
Nickel 270
irradiation-induced swelling, 35
Nickel alloy (13Cr/4Al)
corrosion in steam, 45
Nickel alloy (16/75)
corrosion in steam, 45
Nickel alloys
corrosion by liquid Na, 52-53
irradiation embrittlement of precipitation hardened, 24-26
irradiation embrittlement of solid-solution hardened, 24-26
phase transformation in, effect of W additions on, 10
stability of precipitation hardened, effect of W additions on, 10
thermal-mechanical treatment of, DMIC

review of Soviet literature on, 107
Nickel alloys (Cr-Fe-Mo-Ni-Ti)
structure and properties of, effect of B additions on, 111
Nickel alloys (Cr-Fe-Ni)
stress-corrosion cracking, 135-37
Nickel alloys (Cr-Fe-Ni-Ti)
stress-rupture properties of irradiated tubing of, 26-27
Nickel alloys (Cr-Ni)
morphology of the gamma-prime precipitate in, effect of W additions on, 10
Nickel alloys (Co-Cr-Fe-Ni)
corrosion by liquid Na, 52-53
Nickel alloys (Co-Fe-Ni)
ternary diffusion in, 121
Nickel alloys (Cu-Ni)
corrosion in low-oxygen flowing neutral water from 65 to 205°C, 46
yield strength, effect of irradiation on, 33-34
Nickel alloys (Fe-Ni)
magnetic properties, effect of irradiation on, 32
Nickel alloys (Fe-Ni-Nb-Sn-Zr)
room-temperature mechanical properties, 109
Microbraz 30
corrosion by liquid Na, 52
Microbraz 50
corrosion by liquid Na, 52
Nimonic 80A
mechanical properties, effect of cold working before solution annealing on, 9
Niobium
chemical deposition onto Mo, 96
corrosion by liquid Na, 52
corrosion by liquid K, 149
creep properties, 15-16
creep-rupture data compilation on, 17
deposition onto UC, 99
diffusion in Al, 120
diffusion in W, 119
diffusion of C into, 19
diffusion of ^{51}Cr into, 18-19
electron-beam welding to Mo, 95
oxidation, 139
preparation from NbCl_5 , 96
Niobium alloys
corrosion by liquid Na, 52-53
creep-rupture data compilation on, 17
hot hardness of irradiated, 127
room-temperature mechanical properties, 109
use in alkali-metal Rankine-cycle systems, 53
Niobium alloys (Al-Hf-Nb-Ta-Ti-W)
oxidation behavior, 114
Niobium alloys (Al-Mo-Nb-Sn-Zr)
development for pressure-tube applications, 4
Niobium alloys (Al-Nb)
diffusion studies, 120
Niobium alloys (Be-Nb)
powder metallurgy of, 83
Niobium alloys (Cu-Nb-Zr)
mechanical properties of, 107
stress-corrosion cracking in methanol solutions, 137-38
Niobium alloys (Hf-Nb)
oxidation, 139
Niobium alloys (Mo-Nb)
diffusion studies, 120
Niobium alloys (Mo-Nb-Sn-Zr)
development for pressure-tube applications, 3-4

Niobium alloys (Nb-Ta)
corrosion in HCl, HNO_3 , and H_2SO_4 , 47
Niobium alloys (Nb-Ta-Zr)
room-temperature mechanical properties, 109
Niobium alloys (Nb-Ti)
corrosion in air, O_2 , and N_2 at 650 to 1000°C, 47
corrosion in KOH, 47
protective coatings for, 140-41
Niobium alloys (Nb-W)
properties of, effect of small chemical additions on, 93
Niobium alloys (Nb-TZM)
creep-rupture properties, effect of fabrication variables on, 115
Niobium alloys (Nb-U)
properties, 74
Niobium alloys (Nb-U-Zr)
properties, 74
TTT diagram for, 73-74
Niobium alloys (Nb-V-Zr)
development for pressure-tube applications, 3-4
Niobium alloys (Nb-Zr)
corrosion by fluoride salts, 151
corrosion by liquid Hg, 53
corrosion by liquid Na, 53
corrosion by Li-K vapor, 148
corrosion by steam, effect of irradiation on, 137
corrosion in the NPD Reactor, 135
crystallographic texture after rolling at several temperatures, 93
development for pressure-tube applications, 4
effect of changing the corrosive medium from 200 atm of steam to 1 atm of air on oxidation of, 44
fatigue-crack growth and propagation in pressure tubing, 6-7
mechanical properties, 107
mechanical properties and structure of, effect of internal oxidation on, 16
performance in high-temperature steam, effect of irradiation on, 3-4
postirradiation deformation, effect of irradiation temperature on, 23
stress-corrosion cracking in methanol solutions, 137-38
stress-rupture properties, effect of internal oxidation on, 16
stress-rupture properties of pressure tubes, 5-7
structural transformations in, 109
tensile strength, effect of O_2 content, Nb content, and cold working on, 5-6
Niobium carbide (NbC)
elastic properties, 132
external friction at high temperatures in a vacuum, 39
thermal expansion, 132
Niobium carbide composites (NbC-graphite)
elastic properties, 132
Niobium systems
phase studies, 68
Niobium systems (Mo-Nb-Si-Sn-Zr)
development for pressure-tube applications, 4
Nitrides
pressure sintering, 92
Nitrogen
diffusion in Mo, 122

Oxides
pressure sintering, 92

Oxygen

diffusion in Fe, 122

diffusion in Ni, 122

Oxygen systems (O-Pu-U)

lower limit of PuO₂ concentration for

the two-phase boundary in, 63-64

phase studies, 63

Ozhennite

mechanical properties of, 109

performance in high-temperature steam,

effect of irradiation on, 3-4

P

Palladium

diffusion of H₂ through, 121-22

hydrogenated, irradiation effect on

serrated yielding in, 129-30

thermoelectric properties, effect of

irradiation on, 32

Palladium alloys (Au-Pd)

thermoelectric properties, effect of

irradiation on, 32

Palladium alloys (Cr-Pd-W)

oxidation, 139

Platinum

thermoelectric properties, effect of

irradiation on, 32

Platinum alloys (Pt-Rh)

thermoelectric properties, effect of

irradiation on, 32

Plutonium

elastic constant measurements, 74

high-pressure studies of the crystal

growth of alpha, 74

Russian monograph on properties,

metallurgy, and technology of, 72-73

Plutonium (liquid)

solubility of La in, 75

Plutonium-236

electrodeposition, 101

Plutonium-238

electrodeposition, 101

Plutonium alloys

elastic and anelastic behavior of delta-

stabilized, 74-75

irradiation studies, 76

Plutonium alloys (Ga-Pu)

mechanical properties, 75

Plutonium alloys (Pb-Pu)

phase studies, 75

Plutonium alloys (Mg-Pu)

diffusion interactions with Al-Mg, Ga-

Mg, Ge-Mg, Pb-Mg, Mg-Si, or Mg-

Sn alloys, 75

Plutonium alloys (Pu-U-Zr)

irradiation studies, 75

Plutonium alloys (Pu-Zr)

delta stabilized, chemical diffusivities

of, 118

Plutonium carbide systems (PuC-UC)

irradiation studies, 66-67

Plutonium carbide systems (PuC₂-UC₂)

immiscibility, 65

Plutonium carbide systems (Pu,U)C

compatibility with austenitic stainless

steels, effect of Na bonding on, 65

pellet fabrication problems, 65

Pu volatilization from, 92

sintering, use of Ni and PuC as aids

in, 66

Plutonium carbides

bar fabrication by extrusion, French

patents for, 65-66

irradiation studies, 76

preparation of high-density, French

patent for, 65

Plutonium carbides (Pu₃Ca)

vapor-pressure studies, 65

Plutonium nitride systems

compatibility with stainless steel, 69

Plutonium nitride systems (PuN-UN)

fabrication, 69

Plutonium nitride systems ((Pu,U)N)

irradiation studies, 70

Plutonium oxide (2PuO₂)

effective alpha activity of microspheres

of, 63

impact tests of plasma-fired micro-

spheres of, 63

Plutonium oxide (PuO₂)

heat content from 1225 to 1885°C, 63

preparation of microparticles of, 64

vapor pressure, effect of stoichiometry

on, 62-63

Plutonium oxide (Pu₂O₃)

coating with pyrolytic carbon, 99

Plutonium oxide systems (PuO₂-UO₂)

compatibility with Cr-Ti-V alloy, 62

compatibility with Cr-V alloy, 62

compatibility with Re-W alloy, 62

compatibility with 304 stainless

steel, 62

irradiation studies, 64-65

irradiation studies of vibratory-

compacted fuel elements of, 64

O₂ migration in, from 1200 to 2000°C,

62

preparation of single-phase, sintering

parameters for, 63

production of microspheres, sol-gel

techniques for, 64

Plutonium oxides

irradiation studies, 76

Plutonium-sodium oxides (Na₂PuO₄)

crystal structure and thermal stability

of, 63

Plutonium-sodium oxides (Na₂PuO₃)

crystal structure and thermal stability

of, 63

Plutonium systems (Pu-U-O)

phase studies, 63

lower limit of PuO₂ concentration for

the two-phase boundary in, 63-64

Potassium (liquid)

solubility of Mo and W in, 149-50

Praseodymium

diffusion in Al, 19

Promethium oxide composites (Al-Pm₂O₃)

cold pressing into pellets, 92

R

R512C

development as protective coating

for Ta, 48

R512E

development as protective coating for

D-43 alloy, 47-48

Radioisotope heat sources

development of diffusion barriers be-

tween inner and outer claddings of, 18

Rare-earth hydrides

review on, 86

Reactor containment structures

use of concrete for, 42, 133-34

Reactor pressure tubes

development of Zr-base alloys for, 3-4

fatigue-crack growth and propagation

in Zr-Nb alloys, 6-7

gauging equipment, 102

stress-rupture properties of Zr-Nb

alloy, 5-7

Reactors (Fast Flux Test Facility)

fuel preparation for, 64

Reactors (LMFBR)

component materials for, survey of

limitations and requirements of, 107

Refractory metals

corrosion by aqueous and gaseous

media, 47-48, 139-41

corrosion by liquid Li, 148

corrosion by liquid, Cs, Li, Hg, K,

and Na, 53

high-temperature formability and

ductility of, design of forge for

measurement of, 93

metallurgy of, 14-17, 114-17

protective coatings, seminar on, 141

thermal-mechanical treatment of, DMIC

review of Soviet literature on, 107

Rehe 41

cavitation damage in liquid Na, 52

longtime stability of carbide and

intermetallic phases in, 9-10

Rhenium

corrosion in HNO₃, H₂PO₄, H₂SO₄, and

KOH, 47

coupled with 304 stainless steel,

development of Al₂O₃ and B₂Si

diffusion barriers for, 18

coupled with W, interdiffusion studies

of, 18

creep-rupture data compilation on, 17

deposition on expendable microspheri-

cal substrates to form thin-walled

microballoons, 99

high-temperature recovery of irradiated,

130

oxidation, 47

stress in electroplates of, method

for reducing, 100

tensile creep of high-purity poly-

crystalline, 15

thermoelectric properties, effect of

irradiation on, 32

Rhenium alloys

creep-rupture data compilation on, 17

Rhenium alloys (Mo-Re-W)

corrosion by liquid Li, 54

nitriding, effect of Hf content on, 117

Rhenium alloys (Re-W)

compatibility with PuO₂-UO₂, 62

coupled with 304L stainless steel,

development of Al₂O₃ and B₂Si

diffusion barriers for, 18

nitriding, effect of Hf content on, 117

vapor deposition, 98

Rhenium systems (C-Hf-Re-W)

development for high-temperature

applications, 14

Rhodium

coupled with W, interdiffusion studies

of, 18

thermoelectric properties, effect of

irradiation on, 32

Rhodium alloys (Pt-Rh)

thermoelectric properties, effect of

irradiation on, 32

Ruthenium

reaction with UN to form URu₃ andN₂, 68

thermoelectric properties, effect of

irradiation on, 32

S

Samarium

diffusion in Al, 19

- SCB-291
corrosion by fluoride salts, 151
- Seminar
on protective coatings for refractor metals, 141
- Silicides
pressure sintering, 92
- Silicon carbide (SiC)
creep behavior in air between 1000 and 1300°C, 39-40
fracture strength, effect of multi-axial stresses on, 39
impact resistance, effect of specimen geometry and structure on, 39
KT, tensile properties, 132
- Silicon systems (Cr-B₄Si-Si)
development as protective coatings for Mo, 48
- Silicon systems (Cr-Hf-Si-Ta)
oxidation and tensile properties of, 141
- Silicon systems (Cr-Fe-Si)
development as protective coating for D-43 alloy, 47-48
- Silicon systems (Fe-Si)
magnetic properties, effect of irradiation on, 32
- Silicon systems (Mo-Nb-Si-Sn-Zr)
development for pressure-tube applications, 4
- Silicon systems (Mo-Si-Ti)
development as protective coatings for Ta, 48
- Silicon systems (Si-U)
roll-separating forces during rolling of, 93
- Silver alloys
stress-corrosion cracking, 135
- Sodium (liquid)
solubility of Bi, Cr, Cu, Mo, and Ti in, 149-50
- Sodium-plutonium oxides (NaPuO₂)
crystal structure and thermal stability of, 63
- Sodium-plutonium oxides (Na₂PuO₄)
crystal structure and thermal stability of, 63
- Special fabrication techniques, 92-102
- Stainless steel (1Kh18N10T)
weld joints of tubing of, corrosion by liquid Li, 54
- Stainless steel (2Kh13)
weld joints of tubing of, corrosion by liquid Li, 54
- Stainless steel (4Kh13)
corrosion by liquid Bi-Pb alloys, 55
- Stainless steel (15-5PH)
stress-corrosion cracking in 3.5 wt.% NaCl solution, 136
- Stainless steel (15/15)
corrosion in steam, 45
- Stainless steel (16/13)
radiation-induced embrittlement, effect of cold working on, 125
- Stainless steel (17-4PH)
corrosion by liquid Na, 146
- Stainless steel (18-8)
mechanical properties, effect of heat treatment on, 11
- Stainless steel (18/11)
corrosion in steam, 45
- Stainless steel (18-18-2)
tensile properties, effect of C-contaminated liquid Na on, 49-50
tensile properties, effect of O₂-contaminated liquid Na on, 49-50
- Stainless steel (19-9L)
tensile properties of He impregnated, 28-29
- Stainless steel (20/25)
corrosion in steam, 45
- Stainless steel (20/25 Nb)
corrosion in steam, 45
oxidation, reactions between individual oxides formed during, 45
- Stainless steel (20/35)
corrosion in steam, 45
- Stainless steel (20Cr-25Ni-Nb)
creep-fracture damage of irradiated, annealing of, 35-36
- Stainless steel (304)
biaxial stress-rupture behavior in Cu-contaminated liquid Na, 50
compatibility with PuO₂-UO₂, 62
corrosion by fuel-storage-basin water, 136
corrosion by liquid Na, 143-44, 146
corrosion in the NPD Reactor, 135
corrosion by NH₄OH water, 135
corrosion by O₂-contaminated liquid Na, 49
corrosion by H₂O containing fluoride ions, 136
creep properties, 8
creep-rupture properties, effect of C additions on, 8
creep-rupture properties of irradiated, 26
density, 117
fatigue life, effect of strain-hold time on, 8
fatigue life, prediction method for, 8-9
irradiation-induced swelling, effect of temperature and fluence on, 34-35
mechanical properties of irradiated, data compilation on, 124
notched high-strain behavior of, 112
rupture properties, 8
stress-corrosion in water, 136
stress-fatigue behavior in liquid Na, 49
stress-rupture behavior in liquid Na, 49, 144-45
stress-rupture properties of the impregnated, 28-29
tensile properties, 8
tensile properties of irradiated, 24
thermal conductivity, 117
thermal expansion, 117
ultrasonic-shear velocity of irradiated, correlation with room-temperature ductility, 29-30
- Stainless steel (304)(Ti modified)
helium-induced embrittlement, effect of heat treatment on, 29
tensile properties of irradiated, effect of irradiation temperature on, 23-24
- Stainless steel (304L)
behavior as fuel-cladding material during loss-of-coolant accidents, 153
corrosion by liquid Na, 145-46
corrosion by molten fluoride salts, 56-57
coupled with Re, Ta, W, TZM, and Re-W alloys, development of Al₂O₃ and B₄C diffusion barriers for, 18
deep-grain boundary attack by C-contaminated liquid Na, 50
diffusion in U-Pu alloys, 118-19
void density in irradiated, 124, 127
- Stainless steel (304L)(Ti modified)
production of tubes for LMFBR cladding, 92-93
tensile properties of irradiated, effect of irradiation temperature on, 23-24
- Stainless steel (316)
burst strength of tubes of, effect of surface defects on, 109
carbide precipitation in, 8
cavitation damage in liquid Na, 52
cold work in, determination by ultrasonic critical-angle reflectivity tests, 110
corrosion by liquid Na, 143-44
corrosion by O₂-contaminated liquid Na, 49
corrosion by H₂O containing fluoride ions, 136
creep properties, 8
creep rate of irradiated tubing of, 26-27
creep-rupture properties of irradiated, 26
cyclic-strain fatigue life, 27-28
cyclic-strain fatigue life of irradiated, 27-28
density, 117
fatigue life, effect of O₂ pressure on, 8-9
mechanical properties of irradiated, data compilation on, 124
rupture properties, 8
stress-fatigue behavior in liquid Na, 49
stress-rupture behavior in liquid Na, 49, 144-45
tensile properties, 8
tensile properties of irradiated, 24
tensile properties of irradiated, effect of irradiation temperature on, 23-24, 124-25
thermal conductivity, 117
thermal expansion, 117
tube fabrication by planetary swaging, 110
- Stainless steel (316)(Ti modified)
tensile properties of irradiated, effect of irradiation temperature on, 23-24
- Stainless steel (316L)
tensile properties of irradiated, effect of irradiation temperature on, 23-24
- Stainless steel (316L)(Ti modified)
tensile properties of irradiated, effect of irradiation temperature on, 23-24
- Stainless steel (318)
cavitation damage in liquid Na, 52
- Stainless steel (321)
creep properties, 8
rupture properties, 8
tensile properties, 8
- Stainless steel (340)
corrosion by liquid Na, 146
- Stainless steel (347)
corrosion by liquid Na, 146
creep properties, 8
cyclic-strain fatigue life of irradiated, 27-28
rupture properties, 8
tensile properties, 8, 23-25
tensile properties of irradiated, 23-25
- Stainless steel (410)
corrosion in NPD Reactor, 135
- Stainless steel (416)
corrosion by liquid Na, 146
- Stainless steel (420)
corrosion by liquid Na, 146
- Stainless steel (A-286)
stress-corrosion cracking in 3.5 wt.% NaCl solution, 136
- Stainless steel (Almar 362)
stress-corrosion cracking in 3.5 wt.% NaCl solution, 136

- Stainless steel (Kh18N10T)
electron-beam welding to Mo, 95
- Stainless steel (PH13-8Mo)
stress-corrosion cracking in 3.5 wt.% NaCl solution, 136
- Stainless steel (PH14-8Mo)
stress-corrosion cracking in 3.5 wt.% NaCl solution, 136
- Stainless steel (Unitemp 212)
stress-corrosion cracking in 3.5 wt.% NaCl solution, 136
- Stainless steels
compatibility with (U,Pu)N, 69
corrosion by liquid Na, 52
electrochemical machining, 101
tensile properties of irradiated, effect of irradiation temperature on, 24-25
thermal-mechanical treatment, DMIC review of Soviet literature on, 107
- Stainless steels (austenitic)
compatibility with (U,Pu)C, effect of Na bond on, 65
corrosion by liquid Na, 145
corrosion by liquid Na in contact with austenitic stainless steel, 50-51
creep-rupture properties of irradiated, 26
hydrogen embrittlement, 9
irradiation embrittlement, 24-26
irradiation embrittlement, effect of addition of Ti on, 23
stress-corrosion cracking in high-temperature water, 44-45
tensile and impact properties, 7
tensile properties of irradiated, 26
- Stainless steels (ferritic)
corrosion by liquid Na in contact with austenitic stainless steel, 50-51
- Stainless steels (molten)
quenching in molten Na, effect of temperature on fragment sizes produced by, 153
- Steel (2RM2)
properties, 111
- Steel (A-302B)
fatigue-crack growth rates, 11
low-cycle fatigue deformation, effect of mean stress on, 112
mechanical properties, effect of long-time heat treatment on, 11
tempering properties, 11
- Steel (A-350LF1)(modified)
notch-ductility response, effect of irradiation and annealing cycles on, 30-31
- Steel (A421-65, Type BA)
corrosion, 135-36
- Steel (A-533B)
plane-strain fracture properties, 11
- Steel (RMO)
properties, 111
- Steel (T1 tool)
corrosion by liquid Na, 146
- Steels
mechanical properties, effect of irradiation on, 32
postirradiation and co-irradiation annealing of, 34
stress-corrosion cracking, 135
thermal-mechanical treatment of, DMIC review of Soviet literature on, 107
- Steels (carbon)
corrosion by liquid Na in contact with austenitic stainless steel, 50-51
mechanical properties, effect of heat treatment on, 11
- Steels (Cr-Mo)
corrosion by liquid Bi-Pb alloy, 150
- Steels (Cr-Mo-Ni-V)
fracture strength, 11
- Steels (Cr-Mo-V)
creep and rupture properties of large steam-turbine rotor forgings, improvement of, 10-11
- Steels (Cr-Ni-Nb)
diffusion of Cr and Ni in, 19
irradiation-induced precipitation in, 125-26
- Steels (ferritic)
corrosion by liquid Bi-Pb alloys, 54-55
corrosion by liquid Na, 52-53
development for use with austenitic stainless steels in liquid Na, 10
irradiation embrittlement, effect of Cr content on, 27
radiation-induced change in ductile-to-brittle transition, prediction of, 34
- Steels (ferritic-pearlitic)
corrosion by liquid Na, 52
- Steels (low alloy)
corrosion by liquid Na, 145-46
corrosion by liquid Na in contact with austenitic stainless steel, 50-51
- Steels (low carbon)
notched high-strain behavior of, 112
- Steels (martensitic)
irradiation embrittlement, 24-26
- Steels (mild)
corrosion in NH_4OH water, 135
- Steels (pearlitic)
corrosion by liquid Na, 52
- Steels (pressure vessel)
(see also Steel (A-302B), Steel (A-350LF1)(modified), Steel (2RM2), and Steel (RMO))
neutron-irradiation embrittlement, 31, 126-27, 131
- Stellite 6B
corrosion by liquid Na, 146
- Structural materials
radiation effects on, 21-36, 124-30
- Symposia
(see also Conferences and meetings)
"Irradiation Effects in Structural Alloys for Thermal and Fast Reactors", 124
- T-111
corrosion by liquid Hg, 53
corrosion by liquid Li, 148-49
high-temperature creep data, 115-16
- T-222
high-temperature creep data, 115-16
protective coatings for, 140
- Tantalum
chemical deposition onto Mo, 96
corrosion by CO_2 at 700 to 950°C, 47
corrosion by liquid Na, 146
corrosion by Hg vapor, 149
coupled with 304 stainless steel, development of Al_2O_3 and BaSi diffusion barriers for, 18
coupled with W, interdiffusion studies of, 18
creep properties, 15-16
creep-rupture data compilation on, 17
diffusion in W, 119
diffusion of C into, 19
diffusion of W into, 119
oxidation, 139
preparation from TaCl_5 , 96
- solid-solution strengthening and precipitation hardening, effect of additions of C, Hf, Mo, Nb, Re, and W on, 16
tensile properties of irradiated, 127-28
thermoelectric properties, effect of irradiation on, 32
vapor deposition, 98
- Tantalum alloys
corrosion by liquid Na, 52-53
creep-rupture data compilation on, 17
development of silicide coatings for, 48
hot hardness of irradiated, 127
use in alkali-metal Rankine-cycle systems, 53
- Tantalum alloys (Al-Cr-Hf-Ta)
oxidation and tensile properties, 141
- Tantalum alloys (Al-Hf-Nb-Ta-Ti-W)
oxidation behavior, 114
- Tantalum alloys (Cr-Hf-Ta)
oxidation and tensile properties of, 141
- Tantalum alloys (Nb-Ta)
corrosion in HCl, HNO_3 , and H_2SO_4 , 47
- Tantalum alloys (Nb-Ta-Zr)
room-temperature mechanical properties, 109
- Tantalum alloys (Ta-W)
tensile properties of irradiated, 127, 129
- Tantalum carbide (TaC)
external friction at high temperatures in a vacuum, 39
- Tantalum couples (C-Ta)
diffusion studies, 121
- Tantalum nitride (Ta₃N)
solubility in UN, 68
- Tantalum systems
phase studies, 68
properties, 68
- Tantalum systems (Cr-Hf-Si-Ta)
oxidation and tensile properties of, 141
- Testing (nondestructive), 101-2
- Thermocouples
effect of irradiation on, 32
- Thorium
diffusion in MgO, 118
electrical conductivity, 72
Russian monograph on properties, metallurgy, and technology of, 72-73
thermal conductivity, 72
- Thorium alloys (Th-U)
physical properties, 71-72
- Thorium carbide (ThC)
preparation of high-density, French patent for, 65
- Thorium carbide (ThC₂)
preparation, sol-gel process for, 66
- Thorium carbide systems (Th,U)C₂
preparation, sol-gel process for, 66
- Thorium oxide (ThO₂)
coating of particles with pyrolytic carbon, 99
preparation of porous, 61
surface diffusion measurements in, 61
- Thorium oxide systems (ThO₂-UO₂)
surface diffusion measurements in, 61
thermal conductivity from 20 to 500°C, 61
- Tin alloys (Al-Mo-Nb-Sn-Zr)
development for pressure-tube applications, 4
- Tin alloys (Al-Sn-Ti)
tensile properties of irradiated, 32
- Tin alloys (Bi-Sn)
corrosion by liquid Na, 146-47
- Tin alloys (Fe-Ni-Nb-Sn-Zr)
room-temperature mechanical properties, 109

- Tin alloys (Mo-Nb-Sn-Zr)**
development for pressure-tube applications, 3-4
- Tin alloys (Mo-Sn-Zr)**
development for pressure-tube applications, 4
- Tin systems (Mo-Nb-Si-Sn-Zr)**
development for pressure-tube applications, 4
- Titanium**
cryogenic tensile properties of commercial 55A, effect of irradiation and postirradiation annealing on, 32
density, 118
diffusion of Be in, 120
diffusion in Hastelloy N, 121
solubility in liquid Bi-Pb alloys, 55
solubility in liquid Na, 149-50
thermal conductivity, 117
thermal expansion, 117
- Titanium alloys**
stress-corrosion cracking, 135
thermal-mechanical treatment of, DMTC review of Soviet literature on, 107
- Titanium alloys (Al-Hf-Nb-Ta-Ti-W)**
oxidation behavior, 114
- Titanium alloys (Al-Sn-Ti)**
tensile properties of irradiated, 32
- Titanium alloys (Be-Ti)**
powder metallurgy of, 83
- Titanium alloys (Cr-Fe-Mo-Ni-Ti)**
structure and properties of, effect of B additions on, 111
- Titanium alloys (Cr-Fe-Ni-Ti)**
stress-rupture properties of irradiated tubing of, 28-27
- Titanium alloys (Cr-Ti-V)**
compatibility with PuO₂-UO₂, 62
corrosion by liquid Na, 147
density, 118
thermal conductivity, 117
thermal expansion, 117
- Titanium alloys (Mo-Ti)**
protective coatings for, 141
silicizing and boriding by reaction with SiCl₄ and BF vapors, 96-97
- Titanium alloys (Nb-Ti)**
corrosion in air, O₂, and N₂ at 650 to 1000°C, 47
corrosion in KOH, 47
protective coatings for, 140-41
- Titanium alloys (Ti-W)**
oxidation, 47
- Titanium alloys (Ti-V)**
corrosion by liquid Na, 147-48
density, 118
thermal conductivity, 117
thermal expansion, 117
- Titanium boride (TiB₂)**
electrodeposition onto Inconel, 90
- Titanium carbide cermets (TaC-TiC-WC)**
substitution of HfC and NbC for TaC in, 40
- Titanium systems (Mo-Si-Ti)**
development as protective coatings for Ta, 48
- TRW-NASA IVY**
longtime stability of carbide and intermetallic phases in, 9-10
- TRW-NASA VIA**
longtime stability of carbide and intermetallic phases in, 9-10
- Tungsten**
annealing of radiation damage in, 130
brazing of, alloy development for, 94-95
compatibility with molten U, 150
coupled with 304 stainless steel, development of Al₂O₃ and BaSi
diffusion barriers for, 18
coupled with Ir, Re, Rh, and Ta, interdiffusion studies of, 18
creep-rupture data compilation on, 17
deposition on expendable microspherical substrates to form thin-walled microballoons, 99
diffusion in Ta, 119
diffusion of H₂ into, 19-20
diffusion of Nb into, 119
diffusion of Ta into, 119
diffusion of U into, 19
grain size of vacuum-arc-cast, reduction by Mo addition, 116-17
grain structure and texture of sheets, effect of additions of ThO₂ on, 14-15
hot pressing of powders, 92
irradiation-induced swelling, effect of temperature and fluence on, 35
nitriding, effect of Hf content on, 117
oxidation, 140
sheets, preparation by vapor deposition of, 98
solubility in liquid K, 149-50
surface pores in, filling with W from the decomposition of W(CO)₆, 96
tensile fracture stress of equiaxed-grain polycrystalline wire, effect of temperature on, 15
thermoelectric properties, effect of irradiation on, 32
vapor deposition, 97-98
- Tungsten alloys**
corrosion by liquid Na, 52-53
creep-rupture data compilation on, 17
hot hardness of irradiated, 127
- Tungsten alloys (Al-Hf-Nb-Ta-Ti-W)**
oxidation behavior, 114
- Tungsten alloys (Cr-Pd-W)**
oxidation, 139
- Tungsten alloys (Hf-W)**
compatibility with molten U, 150
- Tungsten alloys (Mo-Re-W)**
corrosion by liquid Li, 54
nitriding, effect of Hf content on, 117
- Tungsten alloys (Nb-W)**
oxidation, 47
properties of, effect of small chemical additions on, 93
- Tungsten alloys (Re-W)**
compatibility with PuO₂-UO₂, 62
coupled with 304L stainless steel, development of Al₂O₃ and BaSi
diffusion barriers for, 18
nitriding, effect of Hf content on, 117
vapor deposition, 98
- Tungsten alloys (Ta-W)**
tensile properties of irradiated, 127, 129
- Tungsten alloys (Ti-W)**
oxidation, 47
- Tungsten carbide**
electrodeposition, 100
- Tungsten carbide (WC)**
grain growth at high temperature, 39
morphology of crystals of, 39
plastic properties, 39
recrystallization and sintering at high temperatures, 39
- Tungsten carbide cermets (TaC-TiC-WC)**
substitution of HfC and NbC for TaC in, 40
- Tungsten carbide cermets (WC-Co)**
fatigue behavior, effect of Co content on, 40
mechanical properties, dependence of carbide-carbide particle contacts on, 40
strength, theory of, 40
- Tungsten cermets (W-UN)**
irradiation studies, 70-71
- Tungsten cermets (W-UO₂)**
brazing with W-Os filler alloy, 95
irradiation studies, 70, 78
- Tungsten powders**
hot pressing of, 92
- Tungsten systems (C-Hf-Re-W)**
development for high-temperature applications, 14
- TZC**
creep-rupture properties, effect of fabrication variables on, 115
- TZM**
compatibility with fluoride salts, 151
coupled with 304 stainless steel, development of Al₂O₃ and BaSi
diffusion barriers for, 18
deformation and fracture behavior from 200 to 1850°C, 116
high-temperature creep data, 115-16
- TZM alloys (Nb-TZM)**
creep-rupture properties, effect of fabrication variables on, 115
- U**
- U-700**
longtime stability of carbide and intermetallic phases, 9-10
- Ultrasonic testing**, 101-2
- Unitemp AF2-1D**
longtime stability of carbide and intermetallic phases in, 9-10
- Uranium**
corrosion and protection of, British bibliography on, 72-73
diffusion into W, 19
ductile-brittle transitions in, effect of heat treatments on, 72
electrochemical machining, 101
electroless-nickel-plating methods for, 97
electroplating with Ni, 100
irradiation behavior, effect of dilute alloy additions and heat treatment on, 73
machining of, corrosion during, 72
roll-separating forces during rolling of, 93
Russian monograph on properties, metallurgy, and technology of, 72-73
- Uranium (molten)**
containment by W and Hf-W alloys, 150
- Uranium-238**
electrodeposition, 101
- Uranium alloys**
irradiation studies, 76
roll-separating forces during rolling of, 93
- Uranium alloys (Cr-U)**
properties, 74
viscosity of liquid, effect of Cr content on, 73
- Uranium alloys (Fe-U)**
diffusion of 304L stainless steel in, 118-19
- Uranium alloys (Fe-U)**
roll-separating forces during rolling of, 93
welding, hot cracking during, 94
- Uranium alloys (Mo-U)**
casting of cylinders of, 92
coring effects and homogenization methods in cast, 74
irradiation behavior, effect of Al and Sn additions on, 73
properties, 74

- Uranium alloys (Nb-U)
properties, 74
- Uranium alloys (Nb-U-Zr)
properties, 74
TTT diagram for, 73-74
- Uranium alloys (Pu-U-Zr)
irradiation studies, 75
- Uranium alloys (Th-U)
physical properties, 71-72
- Uranium alloys (U-Zr)
properties, 74
- Uranium carbide (UC)
coating with Nb, 99
coating with SiC, 99
diffusion of C in, 118
irradiation studies, 67-68, 78
plasma-flame melting, 66
preparation of high-density, French patent for, 65
preparation, sol-gel process for, 66
- Uranium carbide systems (PuC₃-UC₂)
immiscibility, 65
- Uranium carbide systems (PuC-UC)
irradiation studies, 66-67
- Uranium carbide systems (Pu,U)C
compatibility with austenitic stainless steels, effect of Na bonding on, 65
pellet fabrication problems, 65
Pu volatilization from, 92
sintering, use of Ni and PuC as aids in, 66
- Uranium carbide systems (Th,U)C₂
preparation, sol-gel process for, 66
- Uranium carbide systems (UC-UN)
melting point, 68
- Uranium carbides
bar fabrication by extrusion, French patents for, 65-66
irradiation studies, 76
- Uranium nitride (UN)
evaporation, 69
fabrication, 69
irradiation studies, 69-70
reaction with Ru to form URu₃ and N₂, 68
- Uranium nitride (U₂N₃)
properties, 68
- Uranium nitride cermets (W-UN)
irradiation studies, 70-71
- Uranium nitride systems (Cr-UN)
phase studies, 68
- Uranium nitride systems (Nb-UN)
phase studies, 68
- Uranium nitride systems (PuN-UN)
fabrication, 69
- Uranium nitride systems ((Pu,U)N)
compatibility with stainless steel, 69
irradiation studies, 70
- Uranium nitride systems (UC-UN)
melting point, 68
- Uranium nitride systems (Ta-UN)
phase studies, 68
properties, 68
- Uranium nitride systems (UN-V)
phase studies, 68
- Uranium nitride systems (U₂N₃-UO₂)
isopleth of, 68
- Uranium oxide (UO₂)
coating of particles with pyrolytic carbon, 99
diffusion of actinide elements in, 118
diffusion of O₂ in, from 885 to 1835°C, 61
irradiation studies, 62, 78
irradiation swelling, comparison of swaged and compacted, 61-62
preparation by compaction, effect of random wave vibration on density of, 61
preparation of sintered, British patent on, 61
preparation of sintered, French patent on, 61
reactions following loss-of-coolant accidents, 75-76
steam oxidation kinetics from 885 to 1835°C, 61
surface diffusion measurements in, 61
- Uranium oxide (U₃O₈)
use of high-fired and burned as fuel materials, 71
- Uranium oxide cermets (W-UO₂)
brazing with W-Os filler alloy, 95
irradiation studies, 70
- Uranium oxide cermets (UO₂-W)
irradiation studies, 78
- Uranium oxide systems (PuO₂-UO₂)
compatibility with Cr-Ti-V alloy, 62
compatibility with Cr-V alloy, 62
compatibility with Re-W alloy, 62
compatibility with 304 stainless steel, 62
O₂ migration in, from 1200 to 2000°C, 62
preparation of single-phase, sintering parameters for, 63
production of microspheres, sol-gel techniques for, 64
- Uranium oxide systems (ThO₂-UO₂)
surface diffusion measurements in, 61
thermal conductivity from 20 to 500°C, 61
- Uranium oxide systems (U₂N₃-UO₂)
isopleth of, 68
- Uranium oxide systems (UO₂-Zr)
phase equilibria above 1600°C, 75
- Uranium oxides
irradiation studies, 76
- Uranium systems (C-U)
phase studies, 65
- Uranium systems (Pu-U-O)
lower limit of PuO₂ concentration for the two-phase boundary in, 63-64
phase studies, 63
- Uranium systems (Si-U)
roll-separating forces during rolling of, 93
- V
- Vanadium
chemical deposition onto Mo, 96
corrosion by liquid Na, 146-47
density, 117
deposition from VCl₄ and VF₃, 98-99
diffusion of C into, 19
diffusion of Fe into, isotope effect on, 120-21
electrorefining, 100
irradiation-induced swelling, effect of temperature and fluence on, 35
microhardness, 32
microhardness of irradiated, 32
O₂ and N₂ content of arc-melted, methods for reducing, 92
thermal conductivity, 117
thermal expansion, 117
vapor deposition, 98
void density and hardness of irradiated, effect of postirradiation annealing on, 127, 129
- Vanadium alloys
corrosion by liquid Na, 52-53
hot hardness of irradiated, 127
mechanical and thermal properties, 117
- W
- Vanadium alloys (Cr-Mo-V)(Nb stabilized)
corrosion by liquid Na in contact with 316 stainless steel, 50
- Vanadium alloys (Cr-Mo-V)(Ti stabilized)
corrosion by liquid Na in contact with 316 stainless steel, 50
- Vanadium alloys (Cr-Mo-V)(Zr stabilized)
corrosion by liquid Na in contact with 316 stainless steel, 50
- Vanadium alloys (Cr-Ti-V)
compatibility with PuO₂-UO₂, 62
corrosion by liquid Na, 147
density, 118
thermal conductivity, 117
thermal expansion, 117
- Vanadium alloys (Cr-V)
compatibility with PuO₂-UO₂, 62
corrosion by liquid Na, 146
- Vanadium alloys (Fe-V-Zr)
room-temperature mechanical properties, 109
- Vanadium alloys (Nb-V-Zr)
development for pressure-tube applications, 3-4
- Vanadium alloys (Ti-V)
corrosion by liquid Na, 147-48
density, 118
thermal conductivity, 117
thermal expansion, 117
- Vanadium alloys (V-Zr)
beta-alpha transformation in, effect of V content on, 4
- Vanadium carbide (VC)
mechanical properties of B doped, 39
- Vanadium systems (UN-V)
phase studies, 68
- Vanstar-9
corrosion by liquid Na, 146
- X
- Xenon-133
diffusion in CsI, 10
- Y
- Yttrium
corrosion by liquid Cr-U alloys, 55
- Yttrium alloys (Al-Cr-Fe-Y)
mechanical properties, improvement by adding Mo, Nb, Ta, or W, 110
- Yttrium alloys (Cr-Y)
oxidation, 47
- Yttrium oxide (Y₂O₃)
elastic properties, 132-33
- Z
- Zinc alloys (Be-Cu-Zn)
aging characteristics of neutron irradiated, 34
- Zinc alloys (Cd-Zn)
electrodeposition, 100-1
- Zircaloy
orientation of hydride platelets in,

- determination by microhardness impressions, 108
- hydride precipitation in, effect of quenching temperature on, 108
- in-pile creep of tubing, 36
- in-pile deformation of, modeled for, 21
- mechanical properties of, effect of texture on, 107
- Zircaloy-2**
- burst strength of tubes, effect of bending on, 2
- corrosion in degassed deionized water at 232 to 316°C, 44
- corrosion and hydriding behavior in H₂O at 340°C, 44
- corrosion in NH₄OH water, 135
- corrosion in steam, 137
- corrosion in steam (D₂O) at 300 to 340°C, 44
- corrosion in NPD Reactor, 135
- crack propagation in tubing, 2
- ductility, effect of H₂ on, 3
- effect of thermal treatment on element distribution in, 2
- embrittlement by exposure to steam, 108
- fracture strength, effect of cold working, H₂ content, and irradiation on, 22-23
- growth of oxide films on, morphology and mechanism of, 44
- hardness of cold work, effect of irradiation and annealing temperature on, 22
- hydride precipitation in, kinetics of, 3
- in-pile steady-state creep rate of cold worked, 21-22
- irradiation damage, annealing of, 23
- mechanical properties of, 107
- neutron-irradiation damage, 21-22
- nonhomogeneous deformation of tubing, 2
- stress-corrosion cracking in methanol solutions, 137-38
- tensile properties, effect of H₂ on, 3
- transformation and structure changes during continuous cooling, kinetics of, 107
- weld cracks in, effect of H₂ on, 108
- Zircaloy-4**
- corrosion in degassed deionized water at 232 to 316°C, 44
- corrosion and hydriding behavior in H₂O at 340°C, 44
- corrosion in the NPD Reactor, 135
- corrosion in steam (D₂O) at 300 to 340°C, 44
- high-temperature deformation and burst characteristics of recrystallized tubes of, 108
- mechanical properties of, 107
- texture of tubing, effect of fabrication processes on, 93
- Zirconium**
- coatings of, production from mixed iodide vapors, 96
- corrosion, book on, 137
- corrosion by liquid Na, 52
- diffusion of Be in, 120
- growth of oxide films on, morphology and mechanism of, 44
- hydride platelets in, habit planes of, 1
- in-pile creep, effect of additions of rare earths, 21
- prismatic slip in hexagonal close packed, 1
- solubility of Al in, 109
- solubility of C in beta phase, 2
- solubility in liquid Bi-Pb alloys, 55
- stress-corrosion cracking in methanol solutions, 137-38
- yield strength, effect of H₂ on, 1
- Zirconium alloys**
- corrosion, book on, 137
- development for use in pressurized water, boiling water, or CO₂, 5
- Zirconium alloys (Al-Mg-Zr)**
- phase diagram, 1
- Zirconium alloys (Al-Mo-Nb-Sn-Zr)**
- development for pressure-tube applications, 4
- Zirconium alloys (Al-Mo-Zr)**
- development for pressure-tube applications, 3-4
- Zirconium alloys (Be-Zr)**
- powder metallurgy of, 83
- Zirconium alloys (B-Zr)**
- annealing of irradiated, 129
- Zirconium alloys (Cr-Fe-Zr)**
- ductility, effect of autoclaving on, 23
- ductility, effect of irradiation on, 23
- room-temperature mechanical properties, 109
- tensile strength, effect of autoclaving on, 23
- tensile strength, effect of irradiation on, 23
- Zirconium alloys (Cr-Zr)**
- hardness of temperature aged, effect of Cr content on, 4
- Zirconium alloys (Cu-Fe-Zr)**
- hydrogen absorption and embrittlement resistance of, 4
- Zirconium alloys (Cu-Nb-Zr)**
- mechanical properties of, 107
- stress-corrosion cracking in methanol solutions, 137-38
- Zirconium alloys (Fe-Ni-Nb-Sn-Zr)**
- room-temperature mechanical properties, 109
- Zirconium alloys (Fe-V-Zr)**
- room-temperature mechanical properties, 109
- Zirconium alloys (Mg-Pb-Zr)**
- use as fuel-element can, 1
- Zirconium alloys (Mo-Nb-Sn-Zr)**
- development for pressure-tube applications, 3-4
- Zirconium alloys (Mo-Sn-Zr)**
- development for pressure-tube applications, 4
- Zirconium alloys (Nb-Ta-Zr)**
- room-temperature mechanical properties, 109
- Zirconium alloys (Nb-U-Zr)**
- properties, 74
- TTT diagram for, 73-74
- Zirconium alloys (Nb-V-Zr)**
- development for pressure-tube applications, 3-4
- Zirconium alloys (Nb-Zr)**
- corrosion by fluoride salts, 151
- corrosion by liquid Hg, 53
- corrosion by liquid Na, 53
- corrosion by Li-K vapor, 148
- corrosion by steam, effect of irradiation on, 137
- corrosion in the NPD Reactor, 135
- crystallographic texture after rolling at several temperatures, 93
- development for pressure-tube applications, 4
- effect of changing the corrosive medium from 200 atm of steam to 1 atm of air on oxidation of, 44
- fatigue-crack growth and propagation in pressure tubing, 6-7
- mechanical properties of, 107
- mechanical properties and structure of, effect of internal oxidation on, 16
- performance in high-temperature steam, effect of irradiation on, 3-4
- postirradiation deformation, effect of irradiation temperature on, 23
- stress-corrosion cracking in methanol solutions, 137-38
- stress-rupture properties, effect of internal oxidation on, 16
- stress-rupture properties of pressure tubes, 5-7
- structural transformation in, 109
- tensile strength, effect of O₂ content, Nb content, and cold working on, 5-6
- texture of, effect of rolling temperature on, 109
- Zirconium alloys (Pu-U-Zr)**
- irradiation studies, 75
- Zirconium alloys (Pu-Zr)**
- delta stabilized, chemical diffusivities of, 118
- Zirconium alloys (U-Zr)**
- properties, 74
- Zirconium alloys (V-Zr)**
- beta-alpha transformation in, effect of V content on, 4
- Zirconium boride (ZrB₂)**
- bend strength of hot pressed, 90
- Zirconium carbide (ZrC)**
- vapor deposition of, 97
- Zirconium couples (C-Zr)**
- diffusion studies, 121
- Zirconium hydrides**
- compressive deformation, 87
- deformation behavior and fracture of, 86-87
- fracture of, 87
- Zirconium oxide (ZrO₂)**
- erosion in gas streams at high temperatures, 40
- mechanical stability, effect of percentage of monoclinic phase on, 40
- plasticity, enhancement of during monoclinic to tetragonal transformation, 40
- thermal shock resistance of partially stabilized, theory of improvement of, 40
- Zirconium systems (H-Zr)**
- phase studies, 86
- Zirconium systems (Mo-Nb-Si-Sn-Zr)**
- development for pressure-tube applications, 4
- Zirconium systems (UO₂-Zr)**
- phase equilibria above 1600°C, 75